

Installing git and getting a GitHub account

EVR 628- Intro to Environmental Data Science

Juan Carlos Villaseñor-Derbez (JC)

Table of contents

1. GitHub Account	1
2. Installing Git	1
MacOS	2
Option 1	2
Option 2	2
Windows	2
Linux	3
3. Connecting Git, GitHub and RStudio	3

💡 TL;DR:

- Use [this link](#) to create a GitHub account
- Use [this link](#) to download git on Mac, [this link](#) on Windows
- Authenticate with git

1. GitHub Account

1. Go to <https://github.com> and register an account
2. Use an appropriate (professional!) username (I recommend you use all lower case letters)
3. Register for a free account. That provides more than enough resources (I have a free account, for example)

2. Installing Git

You might already have it installed, so let's check that first

1. Open a **shell** or **terminal** (Mac [instructions](#), Windows [instructions](#), Linux users, I assume you know what you are doing)
2. Once you have a command line staring at you, type:

```
which git
```

If you get `## /usr/bin/git`, then you already have git. You are done, skip to the next section:

3. Connecting Git, GitHub, RStudio

If you get something like `git: command not found`, then follow the instructions on the tabs below

 **MacOS users:**

You might get asked if you want to install “command line developer tools”. Yes, you want to! Click “Install” and read more below.

MacOS

Option 1

We will install the XCode command line tools (not the same as Xcode)

1. I assume you still have a terminal open
2. Type:

```
xcode-select --install
```

3. You will be prompted to accept licenses and terms... go through the usual steps
4. Try the `which git` command again in your terminal. This time you should get `## /usr/bin/git`

Option 2

1. Go to <https://git-scm.com/downloads> and download the installer
2. Follow the installation instructions
3. Try the `which git` command again in your terminal. This time you should get `## /usr/bin/git`

Windows

1. Go to <https://gitforwindows.org/> and download the installer
2. Proceed with installation steps
3. In “Adjusting your PATH environment”, **make sure to select** “Git from the command line and also from 3rd-party software”. Use all the other defaults.
4. Try the `which git` command again in your terminal. This time you should get `## /usr/bin/git`

Linux

Ubuntu and Debian:

```
sudo apt-get install git
```

Fedora or RedHat Linux:

```
sudo yum install git
```

3. Connecting Git, GitHub and RStudio

1. In the shell, use the code below to tell your git program what's your username. Retain the quotation marks, but replace `your_username_here` with the username you created in Step 1 above.

```
git config --global user.name "your_username_here"
```

2. Then, use the code below to tell git what your email is. Again, retain quotations and include the email you used to authenticate in GitHub

```
git config --global user.email "your@email_here.com"
```

3. Use the code below. It should return a list where you can see your username and email are now added

```
git config --global --list
```

 Windows users, are you struggling?

There are different types of shell on Windows (no idea why) and you might be in the wrong one. You want to be in a “Git Bash” shell, as opposed to Power Shell or the legacy cmd.exe command prompt. You can read more about this [here](#), including ways to figure out which one you are using.

4. Go to <https://github.com/settings/tokens> and click “Generate new token”.
5. Select the “classic” version
6. Look over the scopes and make sure “repo”, “user”, and “workflow” are ticked
7. Click “Generate token” at the bottom of the page (green button)
8. **DO NOT CLOSE THE WINDOW** - Copy the generated PAT to your clipboard or leave that browser window open and available so you can come back to copy the PAT later. The PAT will look like a bunch of random letters and numbers.
9. In the RStudio console, run `install.packages("usethis")`
10. Then, run `gitcreds::gitcreds_set()`
11. Paste the PAT in response to the dialogue in the console:

```
? Enter password or token: ghp_XXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXXX
-> Adding new credentials...
-> Removing credentials from cache...
-> Done.
```

12. You *should* be done. We’ll test things in class.